

TECHNICAL REQUIREMENTS FOR THE CLIENT API OF PPF BANKA A.S.

Contents:

1	INTRODUCTORY PROVISIONS	2
2	BASIC PRINCIPLES.....	2
3	THE PASSIVE PART	3
3.1	Overview of Accounts	3
3.2	Balance in the account.....	3
3.3	Overview of cleared transactions in all accounts	4
3.4	Overview of cleared transactions in an account	5
3.5	Overview of daily turnovers in all Accounts	6
3.6	Overview of daily turnovers in an Account.....	7
3.7	Balance on all Client´s Accounts	8
4	THE ACTIVE PART	9
4.1	Internal time protection.....	9
4.2	Allowed Characters	9
4.2.1	Allowed Characters for Domestic Orders	9
4.2.2	Allowed Characters for Foreign and SEPA Orders	10
4.3	Domestic Instant Orders	10
4.4	Domestic Orders.....	11
4.5	Foreign Orders	11
4.6	SEPA Orders	12
4.7	Domestic Direct Debit Orders.....	13
4.8	Payment Orders – status	13
5	SERVICE PART	14
5.1	Livetick – testing of API availability.....	14
5.2	Information on the current business date.....	14
5.3	Collection of current code lists	14
6	LIST OF PAYMENT ORDER STATUSES.....	15
7	LIST OF AVAILABLE CURRENCIES	15
8	LIST OF AVAILABLE CODE LISTS	16
9	EXAMPLES OF SENT PAYMENT ORDERS.....	17
9.1	Unencrypted Domestic Orders.....	17
9.2	Encrypted Domestic Orders	17

1 Introductory provisions

The conditions for using the Client API are set out in the *Business Terms of PPF banka a.s. for Client API* (hereinafter “the SBT for API”), in the contract documents for Client API (hereinafter “API”), in the *General Business Terms of PPF banka a.s.* (hereinafter “the GBT”), and in these Technical Requirements for the API.

Where the text of the Technical Requirements for the Client API contains terms, abbreviations or phrases beginning with a capital letter, these shall have the meaning stipulated in the article “Definition of terms and Interpretation rules” of the GBT, and/or *Business Conditions of PPF banka a.s. for Payments* (hereinafter “GBC for PS”), and/or SBT for API, or the meaning specified in the individual provisions of the GBT, the GBC for PS and/or the SBT for API and/or these Technical Requirements for the Client API. The current versions of the GBC for PS, the SBT for API, the GBT, and the Technical Requirements for the Client API are available at www.ppfbanka.cz.

User support for the API is provided by Customer Service. The contact details of the Customer Service and its Business hours are available on the bank’s website.

2 Basic principles

The API for secured communication with the Client (hereinafter “Client API” or “API”) is a separate channel of Electronic Banking, which enables machine communication with the Bank concerning Account information (the Passive Part) and Payments (the Active Part).

API services are provided using the Rest API standard. The prescribed format is JSON (JavaScript Object Notation).

When a Client and the Bank communicate, secured connection is created with the help of SSL. For setting up secured communication, the Client certificate issued by the Bank must be used.

API communication is always one-step communication, i.e. only a one-off session is created. Thus, for every connection with the Bank a new secured communication session has to be opened using the Client certificate.

For all services provided by the API, the parameter Client identifier (ClientId), which the Bank defines and transfers to the Client as part of registering the client certificate for the API, may be provided in the heading of the query.

In payment services, Payment Orders are authorised by the Signing certificate. The Payment Order (configured in the JSON format) is signed by this Signing certificate and the resulting encrypted text is transmitted in the query in a separate heading (X-Content-Signature) together with the heading of the User identifier (userId, generated by the Bank) and the Payment Order in the JSON format in the body of the query.

The Bank issues the certificates through its own certification authority and this has to be taken into account in communication (for example, by disabling back verification).

The transmission of an identifier (of the account or of the Payment Order, as applicable) as part of the URL is required for providing information about the balance in the Account, Payment Transactions cleared and not yet cleared to the Account, and the status of submitted Payment Orders.

The filter of information about cleared and not yet cleared Payment Transactions is transferred as a set of parameters in the URL (the set of parameters following the question mark).

You can find the technical description of the API solution (Swagger) in a separate file *Swagger for Client API of PPF banka a.s.* on the Bank’s Website.

3 The Passive Part

3.1 Overview of Accounts

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/accounts
- **Heading of the query:**
 - o **hostClientId**
 - obligatory parameter
 - the value is defined by the Bank
- **Response:**
 - o A list of accounts in the JSON format
 - o Contains:
 - Account identifier
 - Account name
 - IBAN
 - Account number
 - Currency
 - Type of Account
 - o Example:

```
{
  "accounts": [
    {
      "id": "12345",
      "identification": {
        "iban": "CZ0960000000009959040004",
        "otherAccountNumber": "000000 9959040004"
      },
      "currency": "CZK",
      "servicer": {
        "bankCode": "6000",
        "countryCode": "CZ",
        "bic": "PMBPCZPP"
      },
      "name": "SAMPLE CZK",
      "product": "1"
    }
  ]
}
```

3.2 Balance in the account

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/accounts/{accountId}/balance
- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
- **Parameters of the query:**
 - o **accountId**
 - obligatory parameter
 - Account identifier
 - the value can be obtained from the Overview of Accounts function
- **Response:**
 - o A list of balances for the account in the JSON format
 - o Contains:
 - Type of the balance
 - Amount
 - Currency
 - Date of the balance

- Example:

```
{
  "balances": [
    {
      "type": "1",
      "amount": {
        "value": 137696.5,
        "currency": "CZK"
      },
      "date": "2018-06-19T00:00:00Z"
    },
    {
      "type": "2",
      "amount": {
        "value": 137696.5,
        "currency": "CZK"
      },
      "date": "2018-06-20T00:00:00Z"
    }
  ]
}
```

3.3 Overview of cleared transactions in all accounts

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/accounts/transactions
- **Headings of the query:**
 - **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
- **Response:**
 - A list of cleared Payment Transactions in all Accounts in the JSON format
 - Contains:
 - A list of attributes with a description is in a separate file *The Swagger for Client API of PPF banka a.s.*
 - Example:

```
{
  "pageNumber": 0,
  "pageCount": 2868,
  "nextPage": 1,
  "pageSize": 15,
  "totalCount": 43010,
  "resultId": 14027268,
  "page": [
    {
      "id": "110810935",
      "bookingDate": "2020-02-24",
      "postingDate": "2020-02-24",
      "transactionType": "DPO",
      "ownAccountId": "5159",
      "ownAccountNumber": "000000 9505010002",
      "counterPartyAccount": {
        "accountNumber": "0000002304000009",
        "bankCode": "6000",
        "accountName": "PPF BANKA A.S."
      },
      "productBankRef": null,
      "amount": {
        "value": 500,
        "currency": "CZK"
      },
      "creditDebitIndicator": "CRDT",
      "description": "PS200224SO360479<BR/>Tuzemská transakce - příchozí standard",
      "variableSymbol": "6565989741",
    }
  ]
}
```

```

"constantSymbol": "0000000000",
"specificSymbol": "0000000000",
"statementNumber": "0",
"statementPeriod": "2020",
"transactionId": null,
"bankref": "PS200224SO360479",
"extension": null,
"details": {
  "detail1": null,
  "detail2": null,
  "detail3": null,
  "detail4": null,
  "detail5": null,
  "detail6": null,
  "detail7": null,
  "detail8": null
},
"originalAmount": {
  "value": null,
  "currency": null,
  "exchangeRate": null
}
},

```

3.4 Overview of cleared transactions in an account

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/accounts/{accountId}/transactions
- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
- **Parameters of the query:**
 - o **accountId**
 - obligatory parameter
 - Account identifier
 - the value can be obtained from the Overview of Accounts function
- **Response:**
 - o A list of cleared Payment Transactions in the Account in the JSON format
 - o Contains:
 - A list of attributes with a description is in a separate file *The Swagger for Client API of PPF banka a.s.*
 - o Example:

```

{
  "pageNumber": 0,
  "pageCount": 2868,
  "nextPage": 1,
  "pageSize": 15,
  "totalCount": 43010,
  "resultId": 14027268,
  "page": [
    {
      "id": "110810935",
      "bookingDate": "2020-02-24",
      "postingDate": "2020-02-24",
      "transactionType": "DPO",
      "ownAccountId": "5159",
      "ownAccountNumber": "000000 9505010002",
      "counterPartyAccount": {
        "accountNumber": "0000002304000009",
        "bankCode": "6000",
        "accountName": "PPF BANKA A.S."
      }
    }
  ],

```

```

        "productBankRef": null,
        "amount": {
            "value": 500,
            "currency": "CZK"
        },
        "creditDebitIndicator": "CRDT",
        "description": "PS200224SO360479<BR/>Tuzemská transakce - příchozí
standard",
        "variableSymbol": "6565989741",
        "constantSymbol": "0000000000",
        "specificSymbol": "0000000000",
        "statementNumber": "0",
        "statementPeriod": "2020",
        "transactionId": null,
        "bankref": "PS200224SO360479",
        "extension": null,
        "details": {
            "detail1": null,
            "detail2": null,
            "detail3": null,
            "detail4": null,
            "detail5": null,
            "detail6": null,
            "detail7": null,
            "detail8": null
        },
        "originalAmount": {
            "value": null,
            "currency": null,
            "exchangeRate": null
        }
    },
},

```

3.5 Overview of daily turnovers in all Accounts

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/accounts/intradayTransactions
- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
- **Response:**
 - o A list of daily turnovers in all Accounts in the JSON format
 - o Contains:
 - A list of attributes with a description is in a separate file *The Swagger for Client API of PPF banka a.s.*
 - o Example:

```

{
    "pageNumber": 0,
    "pageCount": 2868,
    "nextPage": 1,
    "pageSize": 15,
    "totalCount": 43010,
    "resultId": 14027268,
    "page": [
        {
            "id": "110810935",
            "bookingDate": "2020-02-24",
            "postingDate": "2020-02-24",
            "transactionType": "DPO",
            "ownAccountId": "5159",
            "ownAccountNumber": "000000 9505010002",
            "counterPartyAccount": {
                "accountNumber": "0000002304000009",
            }
        }
    ]
}

```

```

        "bankCode": "6000",
        "accountName": "PPF BANKA A.S."
    },
    "productBankRef": null,
    "amount": {
        "value": 500,
        "currency": "CZK"
    },
    "creditDebitIndicator": "CRDT",
    "description": "PS200224SO360479<BR/>Tuzemská transakce - příchozí
standard",
    "variableSymbol": "6565989741",
    "constantSymbol": "0000000000",
    "specificSymbol": "0000000000",
    "statementNumber": "0",
    "statementPeriod": "2020",
    "transactionId": null,
    "bankref": "PS200224SO360479",
    "extension": null,
    "details": {
        "detail1": null,
        "detail2": null,
        "detail3": null,
        "detail4": null,
        "detail5": null,
        "detail6": null,
        "detail7": null,
        "detail8": null
    },
    "originalAmount": {
        "value": null,
        "currency": null,
        "exchangeRate": null
    }
},

```

3.6 Overview of daily turnovers in an Account

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/accounts/{accountId}/intradayTransactions
- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
- **Parameters of the query:**
 - o **accountId**
 - obligatory parameter
 - Account identifier
 - the value can be obtained from the Overview of Accounts function
- **Response:**
 - o A list of daily turnovers in the Account in the JSON format
 - o Contains:
 - A list of attributes with a description is in a separate file *The Swagger for Client API of PPF banka a.s.*
 - o Example:

```

{
  "pageNumber": 0,
  "pageCount": 2868,
  "nextPage": 1,
  "pageSize": 15,
  "totalCount": 43010,
  "resultId": 14027268,
  "page": [

```

```

    {
      "id": "110810935",
      "bookingDate": "2020-02-24",
      "postingDate": "2020-02-24",
      "transactionType": "DPO",
      "ownAccountId": "5159",
      "ownAccountNumber": "000000 9505010002",
      "counterPartyAccount": {
        "accountNumber": "0000002304000009",
        "bankCode": "6000",
        "accountName": "PPF BANKA A.S."
      },
      "productBankRef": null,
      "amount": {
        "value": 500,
        "currency": "CZK"
      },
      "creditDebitIndicator": "CRDT",
      "description": "PS200224S0360479<BR/>Tuzemská transakce - příchozí
standard",
      "variableSymbol": "6565989741",
      "constantSymbol": "0000000000",
      "specificSymbol": "0000000000",
      "statementNumber": "0",
      "statementPeriod": "2020",
      "transactionId": null,
      "bankref": "PS200224S0360479",
      "extension": null,
      "details": {
        "detail1": null,
        "detail2": null,
        "detail3": null,
        "detail4": null,
        "detail5": null,
        "detail6": null,
        "detail7": null,
        "detail8": null
      },
      "originalAmount": {
        "value": null,
        "currency": null,
        "exchangeRate": null
      }
    },
  },

```

3.7 Balance on all Client's Accounts

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/accounts/balance
- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
- **Parameters of the query:**
 - o **accountId**
 - obligatory parameter
 - Account identifier
 - the value can be obtained from the Overview of Accounts function

- **Response:**
 - o List of balances for the Accounts in the JSON format
 - o Contains:
 - AccountID
 - Type of the balance
 - Amount
 - Currency
 - Date of the balance
 - o Example:

```

{"accountBalanceList": [
  {
    "accountId": "829",
    "balances": [
      {
        "type": "1",
        "amount": {
          "value": 3000537.28,
          "currency": "CZK"
        },
        "date": "2020-08-14T00:00:00Z"
      },
      {
        "type": "2",
        "amount": {
          "value": 3000537.28,
          "currency": "CZK"
        },
        "date": "2020-08-17T00:00:00Z"
      }
    ]
  }
]

```

4 The Active Part

4.1 Internal time protection

The internal time protection of 5 seconds is set in the system for obtaining a Payment Order. If the sent Payment Order is not created in the Bank's system within this time limit, the entire request for the creation of a Payment Order is cancelled and it is possible to send it again.

4.2 Allowed Characters

If disallowed characters are entered in the Payment Orders, the individual items may be rejected due to formal errors after sending to the Bank or after transmission to other subjects (CNB, foreign banks).

Therefore we recommend to modify the software which generates Payment Orders sending via Client's API so that all disallowed characters cannot be entered at all.

4.2.1 Allowed Characters for Domestic Orders

Characters that are allowed in the **CERTIS** system can only be entered in the Domestic Order:

a b c d e f g h i j k l m n o p q r s t u v w x y z á ä ç d' é ě í ě ň ó ô ö ř ř š ť ú ů ů ý ž

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Á Ä Ç Ď ě ě Ĺ Ň Ó Ô Ö Ř Ř Š Ť Ú Ů Ů Ý Ž

0 1 2 3 4 5 6 7 8 9

/ - ? : () . , ' + ! " # \$ % & * ; < = > @ [\] ^ ` { | } ~ \$

space (must not be at the beginning of a line)

4.2.2 Allowed Characters for Foreign and SEPA Orders

Characters that are allowed in the [SWIFT](#) messages can only be entered in the Foreign and SEPA Order:

a b c d e f g h i j k l m n o p q r s t u v w x y z

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

0 1 2 3 4 5 6 7 8 9

/ - ? : () . , ' +

space (must not be at the beginning of a line)

4.3 Domestic Instant Orders

- one-time Domestic Instant Order in CZK
- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/payments/ipo
- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
 - o **userId**
 - obligatory parameter
 - User identifier
 - the value is defined by the Bank
 - o **X-Content-Signature**
 - obligatory parameter,
 - Payment Order signed by the Signing certificate, transferred in the body of the query
- **Body of the query:**
 - o Payment Order in the JSON format
- **Response:**
 - o Information about acceptance/rejection of the Payment Order in the JSON format
 - o Contains:
 - Acceptance of Payment Order by the Bank:
 - Code of the Payment Order
 - Code of the status of the Payment Transaction and its textual description
 - Example:

```
{
  "paymentId": "301.33.1750918.1",
  "status": "VERIF. Provedeno."
}
```

- Rejection of Payment Order by the Bank:
 - The error code
 - The element that has caused the error
 - Textual description of the error
 - Example:

```
{
  "error": "FIELD_INVALID",
  "scope": "/PPFminiAPI/my/clientAPI/payments/ipo",
  "message": null,
  "validationErrors": [
    {
      "code": "DT01",
      "field": " transactionReference",
      "message": "Value must be unique."
    }
  ]
}
```

4.4 Domestic Orders

- one-time Domestic Order in CZK
- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/payments/dpo
- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
 - o **userId**
 - obligatory parameter
 - User identifier
 - the value is defined by the Bank
 - o **X-Content-Signature**
 - obligatory parameter,
 - Payment Order signed by the Signing certificate, transferred in the body of the query
- **Body of the query:**
 - o Payment Order in the JSON format
- **Response:**
 - o Information about acceptance/rejection of the Payment Order in the JSON format
 - o Contains:
 - Acceptance of Payment Order by the Bank:
 - Code of the Payment Order
 - Code of the status of the Payment Transaction and its textual description
 - Example:

```
{
  "paymentId": "301.33.1750918.1",
  "status": "VERIF. Ověřeno Bankou."
}
```

- Rejection of Payment Order by the Bank:
 - The error code
 - The element that has caused the error
 - Textual description of the error
 - Example:

```
{
  "error": "FIELD_INVALID",
  "scope": "/PPFminiAPI/my/clientAPI/payments/dpo",
  "message": null,
  "validationErrors": [
    {
      "code": "DT01",
      "field": "valueDate",
      "message": "Wrong value date. Request can't be executed."
    }
  ]
}
```

4.5 Foreign Orders

Space, dash or colon must not be given in the positions 1., 36., 71. and 106. of text fields (Beneficiary's name and address, Message for the Beneficiary etc.) – these positions are transmitted to the SWIFT message lines as the first characters and, according to the standards for the SWIFT message, they cannot be given in the first position of the line.

- one-time Foreign Orders in foreign currencies, including Payment Orders in foreign currencies within the Czech Republic
- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/payments/dpo

- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
 - o **userId**
 - obligatory parameter
 - user identifier
 - the value is defined by the Bank
 - o **X-Content-Signature**
 - obligatory parameter
 - Payment Order signed by the Signing certificate, transferred in the body of the query
- **Body of the query:**
 - o Payment Order in the JSON format
- **Response:**
 - o Information about acceptance/rejection of the Payment Order in the JSON format
 - o Contains:
 - Acceptance of the Payment Order by the Bank:
 - Code of the Payment Order
 - Code of the status of the Payment Transaction and its textual description
 - Example: see [Domestic Orders](#)
 - Rejection of the Payment Order by the Bank:
 - The error code
 - The element that has caused the error
 - Textual description of the error
 - Example: see [Domestic Orders](#)

4.6 SEPA Orders

The following restriction applies to the SEPA order:

Only 105 characters can be entered in the **RecipientNameAndAddress** field, more characters will not be transferred to the message sent from the Payer's bank to the Beneficiary's bank according to ISO standard 20022 and SEPA Credit Transfer standard¹ – **therefore if more characters are entered in this field, they will not be taken into account.**

- one-time SEPA Orders in EUR to other countries and also within the Czech Republic
- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/payments/dpo
- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
 - o **userId**
 - obligatory parameter
 - User identifier
 - the value is defined by the Bank
 - o **X-Content-Signature**
 - obligatory parameter
 - Payment Order signed by the Signing certificate, transferred in the body of the query
- **Body of the query:**
 - o Payment Order in the JSON format

¹ <http://www.europeanpaymentscouncil.eu/index.cfm/sepa-credit-transfer/sepa-credit-transfer-sct/>

- **Response:**
 - o Information about acceptance/rejection of the Payment Order in the JSON format
 - o Contains:
 - Acceptance of the Payment order by the Bank:
 - Code of the Payment Order
 - Code of the status of the Payment Transaction and its textual description
 - Example: see [Domestic Order](#)
 - Rejection of the Payment order by the Bank:
 - The error code
 - The element that has caused the error
 - Textual description of the error
 - Example: see [Domestic Order](#)

4.7 Domestic Direct Debit Orders

- one-time Domestic Direct Debit Orders in CZK
- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/payments/dpo
- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
 - o **userId**
 - obligatory parameter
 - User identifier
 - the value is defined by the Bank
 - o **X-Content-Signature**
 - obligatory parameter
 - Payment Order signed by the Signing certificate, transferred in the body of the query
- **Body of the query:**
 - o Payment Order in the JSON format
- **Response:**
 - o Information about acceptance/rejection of the Payment Order in the JSON format
 - o Contains:
 - Acceptance of the Payment order by the Bank:
 - Code of the Payment Order
 - Code of the status of the Payment Transaction and its textual description
 - Example: see [Domestic Order](#)
 - Rejection of the Payment order by the Bank:
 - The error code
 - The element that has caused the error
 - Textual description of the error
 - Example: see [Domestic Order](#)

4.8 Payment Orders – status

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/payments/{paymentId}/status
- **Headings of the query:**
 - o **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
 - o **userId**
 - obligatory parameter
 - User identifier
 - the value is defined by the Bank
- **Response:**

- Information about the status of the Payment Order in the JSON format
- Contains:
 - Code of the status of the Payment Transaction and its textual description
- Example: see [Domestic Order](#)

5 Service part

5.1 Livetick – testing of API availability

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/ /service/livetick
- **Headings of the query:**
 - **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
- **Response:**
 - 200 – successful response

5.2 Information on the current Business date

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/ /service/ businessDate
- **Headings of the query:**
 - **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
- **Response:**
 - Date
 - Example:

```
{"date": "2020-08-17"}
```

5.3 Collection of current code lists

- **Base URL:** <https://api.ppfbanka.cz>
- **Connection:** SSL with the Client certificate issued by the Bank
- **Source:** /PPFminiAPI/my/clientAPI/ /service/ codebooks
- **Headings of the query:**
 - **hostClientId**
 - obligatory parameter
 - Client identifier
 - the value is defined by the Bank
- **Parameters of the query:**
 - **changeDate**
 - optional parameter
 - date since last change
 - **lang**
 - optional parameter
 - language of description (cs, en)
- **Response:**
 - List of code lists
 - Example:

```
{"codebooks": [  
  {  
    "name": "BANKS",  
    "data": [  
      {  
        "code": "0100",
```

```

    "texts": {
      "en": "KOMERCNI BANKA A.S.",
      "cs": "KOMERČNÍ BANKA A.S."
    },
    "details": {"instant": "1"}
  },
  {
    "code": "0300",
    "texts": {
      "en": "ČESKOSLOVENSKÁ OBCHODNÍ BANKA, A.S.",
      "cs": "ČESKOSLOVENSKÁ OBCHODNÍ BANKA, A.S."
    },
    "details": {"instant": "1"}
  }
}

```

6 List of Payment Order statuses

ID	Code of the status	Final status	Description of the status
60, 61	ACCEPTED	NO	ACCEPTED. Accomplished.
90	ACCEPTED	YES	ACCEPTED. Accomplished.
44	AUTHOK	NO	AUTHOK. Authorised by the Bank.
62, 63	BANKCANC	YES – ERROR	BANKCANC. Cancelled by the bank – will not be executed.
65	CANCELLED	YES	CANCELLED. Cancelled at the Client's request.
49	CANCREQ	NO	CANCREQ. A cancel request has been submitted.
39, 51, 52	ERROR	YES – ERROR	ERROR. Rejected due to formal errors – will not be executed.
87, 89	FAILED	YES – ERROR	FAILED. Failed – incorrect identification.
75	INSUFF	YES – ERROR	INSUFF. Rejected due to insufficient funds in the account – will not be executed.
46	PASSED	NO	PASSED. Passed to the Bank.
50	REJECT	YES – ERROR	REJECT. Rejected due to formal errors – will not be executed.
43	REJECTED	YES – ERROR	REJECTED. Rejected by the Bank.
42	REQAUTH	NO	REQAUTH. Manual authorisation required.
50	VERIF	NO	VERIF. Verified by the Bank.
59	WAITAUTH	NO	WAITAUTH. Waiting for authorisation in the Bank.
56	WAITFUNDS	NO	WAITFUNDS. Waiting for sufficient funds in the account.
55	WAITMATUR	NO	WAITMATUR. Waiting for the Maturity Date.

7 List of available currencies

Name	Designation	Name	Designation
Bulgarian lev	BGN	Chinese yuan	CNY
Czech crown	CZK	Euro	EUR
British pound	GBP	Hong Kong dollar	HKD
Hungarian forint	HUF	Croatian kuna	HRK
Swiss franc	CHF	Indonesian rupiah	IDR
Indian rupee	INR	Japanese yen	JPY
Kazakhstan tenge	KZT	Norwegian crown	NOK

Name	Designation	Name	Designation
------	-------------	------	-------------

Philippine peso	PHP	Polish zloty	PLN
Romanian new leu	RON	Serbian dinar	RSD
Russian rouble	RUB	Turkish lira	TRY
US dollar	USD		

8 List of available code lists

- Available code lists:

- a list of banks with information on whether the bank is involved in the instant payment scheme
- a list of available currencies
- a list of transaction type codes (DPO, FPO, IPO, etc.)
- a list of transaction types in detail (Card transaction - POS, Domestic transaction – outgoing, ..)
- a list of payment order statuses

- Response example:

```
{
  "codebooks": [
    {
      "name": "BANKS",
      "data": [
        {
          "code": "0100",
          "texts": {
            "en": "KOMERCNI BANKA A.S.",
            "cs": "KOMERCNI BANKA A.S."
          },
          "details": {"instant": "1"}
        },
        {
          "code": "2700",
          "texts": {
            "en": "UniCredit Bank Czech Republic and Slovakia, a.s.",
            "cs": "UniCredit Bank Czech Republic and Slovakia, a.s."
          },
          "details": {}
        }
      ],
      "name": "CURRENCIES",
      "data": [
        {
          "code": "EUR",
          "texts": {
            "en": "Euro",
            "cs": "Euro"
          },
          "details": {}
        }
      ],
      "name": "ACCOUNTMOVEMENTGROUPS",
      "data": [
        {
          "code": "DPO",
          "texts": {
            "en": "Domestic",
            "cs": "Tuzemská"
          },
          "details": {}
        }
      ],
      "name": "ACCOUNTMOVEMENTTYPES",
      "data": [
        {
          "code": "303",
          "texts": {
            "en": "Card transaction - POS",
            "cs": "Transakce PK - POS"
          },
          "details": {}
        }
      ]
    }
  ]
}
```



```

      "name": "CLIENTTRANSACTIONSTATUSTYPES",
      "data": [
        {
          "code": "60",
          "texts": {
            "en": "ACCEPTED. Accomplished.",
            "cs": "ACCEPTED. Provedeno."
          }
        }
      ]
    }
  ]
}

```

9 Examples of sent Payment Orders

9.1 Unencrypted Domestic Orders

```

{
  "transactionReference": "REF1528392911",
  "valueDate": "2018-06-20",
  "debtorAccountNumber": "000000 6059040004",
  "creditor": {
    "accountNumber": "6060100000",
    "accountBankCode": "6000"
  },
  "amountInCZK": {
    "amount": "2.00"
  },
  "priority": "0",
  "variableSymbol": "1234567890",
  "constantSymbol": "1234567890",
  "specificSymbol": "1234567890",
  "messageForPayee": "messageForPayee",
  "clientReference": "clientReference"
}

```

9.2 Encrypted Domestic Orders

```

MIME-Version: 1.0
Content-Type: multipart/signed; protocol="application/x-pkcs7-signature"; micalg="sha-256"; boundary="-----9922B078327BEFF124CDDC5AE1DC48EB"

This is an S/MIME signed message

-----9922B078327BEFF124CDDC5AE1DC48EB
{
  "transactionReference": "REF1528392911",
  "valueDate": "2018-06-20",
  "debtorAccountNumber": "000000 6059040004",
  "creditor": {
    "accountNumber": "6060100000",
    "accountBankCode": "6000"
  },
  "amountInCZK": {
    "amount": "2.00"
  },
  "priority": "0",
  "variableSymbol": "1234567890",
  "constantSymbol": "1234567890",
  "specificSymbol": "1234567890",
  "messageForPayee": "messageForPayee",
  "clientReference": "clientReference"
}
-----9922B078327BEFF124CDDC5AE1DC48EB
Content-Type: application/x-pkcs7-signature; name="smime.p7s"
Content-Transfer-Encoding: base64
Content-Disposition: attachment; filename="smime.p7s"

MIIiYQYJKoZIhvcNAQcCoIIiUjCCCE4CAQEzDzANBgkqhkiG9w0BBwGggWiMIIIFnjCCBIagAwIBAgIDAQWJMA0GCSqGSIb3DQEBBQUAMGoxCzAJBgNVBAYTAkNaMRcwFQYDVQQIEw5DemVjaCBSZXB1YmVzEPMA0GA1UEBxMGUHJhZ3VlMRcwFQYDVQQKEw5QUEYgYmFua2EgYS5zLjEYMBYGA1UEAxMPYXBpLnBw

```

ZmJhbmthLmN6MB4XDTE4MDYxODIyMjgyMl0XDTE5MDYxODIyMjgyMlowgcExIjAg
BgkqhkIG9w0BCQEEME21iZXJuYXRACHBmYmFua2EuY3oxEzARBgNVBAMTCnVpZDog
OTQwODYxHTAbBgNVBAMMFRLY2huaWNrw70gVcW+aXZhdGVsMRkwFwYDVQQKDBBN
QkVSTkFUX1RFU1RfQVBjMQ4wDAYDVQQHEwUxMTAwMDEYMBYGA1UEBxMPQ2Vza2Eg
cmVwdWJsaWthMQ4wDAYDVQQHEwVQcmFoYTESMBAGA1UEBxMJS3JhdGthIDEwMIIB
IjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIBCgKCAQEAE32Vdrrrv6uw0anwJqwsiz/fV
R/kgbc6X17S7JPqNWJQ6b2l3rESnVf9Pz6XjHjGo5WEpeAae6YjZ/RUuumWA7ujb
/CdGh+nH4Wqk39N+9eAS4hCMrexgce5igouzkfWkg+6wvsWW1BVtWT4vuDSJSnpM
1/8PSkCQU9b1tLEhj5QBFdyVbSVBtfxDcIVuELEKl3BvdjJUkyg2EshJBmDd+o0w
3yAOEr7uIuI4097zfnPnLc5008k2/PQPKZorDgmRMWviL3uSwYaIPOvi7t127Ryn
pZ9gSIUjD2vSvj/UeTdx/NOaxaFneirKUud5xAmer+ajhfIodksb8FmwiaBCqWID
AQABo4IB8zCCAe8wDgYDVR0PAQH/BAQDAgWgMBQGCWCSAGG+EIBAQE/wQEAwIE
EDCCARcGA1UdIASCAQ4wggEKMIIBBgYCKgMwgf8wJgYIKwYBBQUHAgEwGmh0dHA6
Ly93d3cucHBmYmFua2EuY3ovQ1BTMIHUBGgrBgEFBQCcCAjCBxzAVFg5QUEYgYmFu
a2EgYS5zLjADAgEBG0tVGvudG8gY2VydG1maWthdCBtdXplIHNSb3V6aXQsIHBv
dXplIG9zb2JlLlCBrdGVyZSBieWwgdn1kYW4gYSBwb3V6ZSBRIHVjZWx1bSwgcHJv
IGt0ZXJlIGJ5bCB2eWRhbi4gRGFsc2kgaW5mb3JtYWNlIG5hbGV6bmV0ZSBuYSBo
dHRwOi8vd3d3LnBwZmJhbmthLmN6L0NQUwoKKGMPUFBGIGJhbmthIGEucy4wXAYD
VR0fBFUwUzBRoE+gTYZLaHR0cHM6Ly9pYmNjLnBwZmJhbmthLmN6L1BQRldlYlJB
MzEvQ29udHJvbGx1clN1cnZsZXQ/Y29tbWFuZD1jcmwY3VzdG9tMT02MEMGCisG
AQQBgjccAQoENTAz0ByAGmh0dHA6Ly93d3cucHBmYmFua2EuY3ovQ1BTtoROBEShj
KVBQRiBiYW5rYSBhLnMuMAKGA1UdEwQCAAwDQYJKoZIhvcNAQEFBQADggEBAJln
NaY+UVuQYhVq1Uf7Kmsx0yVea0PN2FyOk8Ru8Tg4bcnUG0AkcFaH1Kczjv8V5+mF
caKH1YFGsyV5mZmyZitJG/35EYpnePaLufGhnffYjRXx02wh53ImFBpByApLU69m
b7Qh2AHgx2wF0Ce6DqnWqr6NC97cwIq2osQcPumii/WvRXfmQ1YUbn1SKWZSjWtH
lMTXm1pnhNNqOZvdg+9RSvBWC4v8P4KvXQ2HtyS5XXht1C9gMoymak4fHdhUNOy
AORI6GLnP1PS/HZChkQwVfzuVtMr4zxc+u7w+z7mXv5+2I7ad30pYH90C5WtjdgP
GUYh0Mr5KktGs9QEt5MxggKDMIICfwIBATBxMGoxCzAJBgNVBAYTAkNAMRcwFQYD
VQIEw5DemVjaCBSZXB1YmXpYzEPMA0GA1UEBxMGUHJhZ3VlMRcwFQYDVQQKEw5Q
UEYgYmFua2EgYS5zLjEYMBYGA1UEAxMPYXBpLnBwZmJhbmthLmN6AgMBBYkwDQYJ
YIZIAWUDBAIBBQCgqeQwGAYJKoZIhvcNAQkDMQsGCSqGSIb3DQEHAQAcbGkqhkIG
9w0BCQUxDxcNMTgWnJ5E5MjExNzA5WjAvBgkqhkiG9w0BCQQxIqQg2aHRvgKyAbx5
s4ULP17S5k9JyFgvAXrUrFMQ9oOE+sweQYJKoZIhvcNAQkPMWwajALBglghkgB
ZQMEASowCwYJYIZIAWUDBAEWMAAGCWCgsAF1AwQBAjAKBggqhkiG9w0DBzA0Bggq
hkiG9w0DAGICAIAwDQYIKoZIhvcNAwICAUAwBwYFKw4DAgcwDQYIKoZIhvcNAwIC
ASgwdQYJKoZIhvcNAQEBBQAEggEAN7Fz/NMkO2NZiW+uyeMEgdgtRqGa7ZcUZfs3
SkJf9DnwE9j7Enu7qeHOMY5+oCc3Kv+BCRRDbL3dUx8goBOr5taZ86wgtNeaNzYd
HgVxH8gmOZYx5L7pCjctc4Hx7JndgqpTOTf7tNGxUxttI9lmkrOGESMfPrm1Kykm
cXfD/PQaqrjtz7/9RqXTWn9wXuKovvAxKwo2WzcgHCXj4gAqhxxKWBOzDeTBWazT
iDSgab8mv+Pp9dIyjhEa6rXarcQD8CRM0Ja2XmwwBpIXtRn0/aHWyAHaRvJS8RUM
zEaQhf08Ef7eQFVLL3bMoJ691be/tTVQO1mYtOf7oJIUZlDB3A==

-----9922B078327BEFF124CDDC5AE1DC48EB--